Aquaculture

VOL. 270 NOS. 1–4 CONTENTS 28 SEPTEMBER 2007

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®. Full text available in ScienceDirect®

Review Article

Nitrogen removal techniques in aquaculture for a sustainable production
R. Crab (Gent, Belgium), Y. Avnimelech (Haifa, Israel), T. Defoirdt, P. Bossier and W. Verstraete (Gent, Belgium) 1

Diseases

Efficacy of bithionol as an oral treatment for amoebic gill disease in Atlantic salmon *Salmo salar* (L.)
R.L. Florent, J.A. Becker and M.D. Powell (Launceston, Tasmania, Australia). 15

Effect of hyperoxygenation and low water flow on the primary stress response and susceptibility of Atlantic salmon *Salmo salar* L. to experimental challenge with IPN virus
F. Fridell (Bergen, Norway), K. Gadan (Oslo, Norway), H. Sundh (Göteborg, Sweden), G.L. Taranger, J. Glette, R.E. Olsen (Bergen, Norway), K. Sundell (Göteborg, Sweden) and Ø. Evensen (Oslo, Norway) 23

The use of fish vaccines in the Chilean salmon industry 1999-2003
S. Bravo (Puerto Montt, Chile) and P.J. Midtlyng (Oslo, Norway) 36

Genetics

Heritability estimates for processing and quality traits in common carp (*Cyprinus carpio* L.) using a molecular pedigree
M. Kocour (Vodňany, Czech Republic), S. Mauger (Jouy-en-Josas, France), M. Rodina, D. Gela, O. Linhart (Vodňany, Czech Republic) and M. Vandeputte (Jouy-en-Josas, Palavas les Flots, France) 43

Heritability of reproductive traits and genetic correlations with growth in the black tiger prawn *Penaeus monodon* reared in tanks
M. Macbeth (Moorooka, Qld, Australia), M. Kenway, M. Salmon (Townsville, Qld, Australia), J. Benzie (Sydney, NSW, Australia), W. Knibb (Woorim, Qld, Australia) and K. Wilson (Townsville, Qld, Australia). . . 51

Husbandry and Management

An assessment of the aquaculture potential of the tropical sponges *Rhopaloeides odorabile* and *Coscinoderma* sp.
D. Louden, S. Whalan, E. Evans-Illidge, C. Wolff and R. de Nys (QLD, Australia) 57

(continued on pp. 581–584)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online
or http://www.elsevier.com/locate/aqua-online

0044-8486(20070928)270:1-4;1-3

Available online at www.sciencedirect.com
ScienceDirect

Aquaculture

VOL. 270 NOS. 1–4 CONTENTS 28 SEPTEMBER 2007

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®. Full text available in ScienceDirect®

Review Article

Nitrogen removal techniques in aquaculture for a sustainable production
R. Crab (Gent, Belgium), Y. Avnimelech (Haifa, Israel), T. Defoirdt, P. Bossier and W. Verstraete (Gent, Belgium) 1

Diseases

Efficacy of bithionol as an oral treatment for amoebic gill disease in Atlantic salmon *Salmo salar* (L.)
R.L. Florent, J.A. Becker and M.D. Powell (Launceston, Tasmania, Australia). 15

Effect of hyperoxygenation and low water flow on the primary stress response and susceptibility of Atlantic salmon *Salmo salar* L. to experimental challenge with IPN virus
F. Fridell (Bergen, Norway), K. Gadan (Oslo, Norway), H. Sundh (Göteborg, Sweden), G.L. Taranger, J. Glette, R.E. Olsen (Bergen, Norway), K. Sundell (Göteborg, Sweden) and Ø. Evensen (Oslo, Norway) 23

The use of fish vaccines in the Chilean salmon industry 1999-2003
S. Bravo (Puerto Montt, Chile) and P.J. Midtlyng (Oslo, Norway) 36

Genetics

Heritability estimates for processing and quality traits in common carp (*Cyprinus carpio* L.) using a molecular pedigree
M. Kocour (Vodňany, Czech Republic), S. Mauger (Jouy-en-Josas, France), M. Rodina, D. Gela, O. Linhart (Vodňany, Czech Republic) and M. Vandeputte (Jouy-en-Josas, Palavas les Flots, France) 43

Heritability of reproductive traits and genetic correlations with growth in the black tiger prawn *Penaeus monodon* reared in tanks
M. Macbeth (Moorooka, Qld, Australia), M. Kenway, M. Salmon (Townsville, Qld, Australia), J. Benzie (Sydney, NSW, Australia), W. Knibb (Woorim, Qld, Australia) and K. Wilson (Townsville, Qld, Australia). . . 51

Husbandry and Management

An assessment of the aquaculture potential of the tropical sponges *Rhopaloeides odorabile* and *Coscinoderma* sp.
D. Louden, S. Whalan, E. Evans-Illidge, C. Wolff and R. de Nys (QLD, Australia) 57

(continued on pp. 581–584)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online
or http://www.elsevier.com/locate/aqua-online

0044-8486(20070928)270:1-4;1-3

Available online at www.sciencedirect.com
ScienceDirect

Contents (continued)

Diurnal variation of tryptic activity in larval stage and development of proteolytic enzyme activities of malabar grouper (*Epinephelus malabaricus*) after hatching
A. Fujii, Y. Kurokawa, S. Kawai (Nishinomiya, Japan), K. Yoseda, S. Dan (Okinawa, Japan), A. Kai and M. Tanaka (Kyoto, Japan) 68
Seeding nets with neutral spores of the red alga *Porphyra umbilicalis* (L.) Kützing for use in integrated multi-trophic aquaculture (IMTA)
N. Blouin (Orono, ME, USA), F. Xiugeng, J. Peng (Qingdao, PR China), C. Yarish (CT, USA) and S.H. Brawley (Orono, ME, USA) 77
Treatment of flow-through trout aquaculture effluents in a constructed wetland
P.-D. Sindilariu (Starnberg, Germany), C. Schulz (Berlin, Germany) and R. Reiter (Starnberg, Germany) 92
Optimal conditions for egg storage, incubation and post-hatching growth for the freshwater turtle, *Chelodina rugosa*: Science in support of an indigenous enterprise
D.A. Fordham, A. Georges and B. Corey (ACT, Australia) 105
The effects of season, temperature and initial gonad condition on roe enhancement of the sea urchin *Evechinus chloroticus*
P.J. James, P. Heath (Wellington, New Zealand) and M.J. Unwin (Christchurch, New Zealand) 115
Spawning, early development and first feeding in the gobiid fish *Priolepis nocturna*
M.L. Wittenrich, R.G. Turingan (Melbourne, Florida, USA) and R.L. Creswell (Fort Pierce, FL, USA) 132
A validated macroscopic key to assess fin damage in farmed rainbow trout (*Oncorhynchus mykiss*)
I. Hoyle (Bristol, UK), B. Oidtmann, T. Ellis (Dorset, UK), J. Turnbull, B. North, J. Nikolaidis (Stirling, Scotland, UK) and T.G. Knowles (Bristol, UK) 142
Growth and survival of larval and juvenile cobia *Rachycentron canadum* in a recirculating raceway system
C.K. Faulk, J.B. Kaiser and G.J. Holt (Port Aransas, TX, United States) 149
Use of endoscopy for gender and ovarian stage determinations in Russian sturgeon (*Acipenser gueldenstaedtii*) grown in aquaculture
A. Hurvitz (Rehovot, Kiryat Shmona, Israel), K. Jackson, G. Degani (Kiryat Shmona, Galilee, Israel) and B. Levavi-Sivan (Rehovot, Israel) 158

Nutrition

Energy and nitrogen partitioning in 250 g Atlantic cod (*Gadus morhua* L.) given graded levels of feed with different protein and lipid content
B. Hatlen, S.J. Helland and B. Grisdale-Helland (Sunndalsøra, CoE, Norway) 167
Two microalgae *Crypthecodinium cohnii* and *Phaeodactylum tricornutum* as alternative source of essential fatty acids in starter feeds for seabream (*Sparus aurata*)
E. Atalah, C.M.H. Cruz, M.S. Izquierdo (Las Palmas de Gran Canaria, Spain), G. Rosenlund (Stavanger, Norway), M.J. Caballero, A. Valencia and L. Robaina (Las Palmas de Gran Canaria, Spain) 178
Optimal dietary protein requirement for juvenile ivory shell, *Babylonia areolate*
J.-B. Zhou, Q.-C. Zhou, S.-Y. Chi, Q.-H. Yang and C.-W. Liu (Zhanjiang, PR China) 186
Effect of docosahexaenoic acid enrichment in *Artemia* on growth of Pacific bluefin tuna *Thunnus orientalis* larvae
M. Seoka, M. Kurata and H. Kumai (Wakayama, Japan) 193
Effects of Cu^{2+}-exchanged montmorillonite on growth performance, microbial ecology and intestinal morphology of Nile tilapia (*Oreochromis niloticus*)
C.H. Hu, Y. Xu, M.S. Xia, L. Xiong and Z.R. Xu (Hangzhou, China) 200
Effect of variation in the protein value of the red macroalga *Palmaria palmata* on the feeding, growth and gonad composition of the sea urchins *Psammechinus miliaris* and *Paracentrotus lividus* (Echinodermata)
E.J. Cook and M.S. Kelly (Argyll, United Kingdom) 207
Pigmentation, carotenoids, lipid peroxides and lipid composition of skin of red porgy (*Pagrus pagrus*) fed diets supplemented with different astaxanthin sources
N. Tejera (Tenerife, Spain), J.R. Cejas (S/C de Tenerife, Spain), C. Rodríguez (Tenerife, Spain), B. Bjerkeng (Sunndalsøra, Norway), S. Jerez (S/C de Tenerife, Spain), A. Bolaños and A. Lorenzo (Tenerife, Spain) 218

Physiology and Endocrinology

The mineral content affects vertebral morphology in underyearling smolt of Atlantic salmon (*Salmo salar* L.)
P.G. Fjelldal, U. Nordgarden and T. Hansen (Matredal, Norway) 231
Comparative performance of Gamma Amino Butyric Acid (GABA) and 5-Hydroxytryptamine (5-HT) in the diet of larvae and post larvae of giant freshwater prawn, *Macrobrachium rosenbergii*: Effect of dose and route of administration on growth and survival
J.K. Chettri, N.P. Sahu, A.K. Pal, A.K. Reddy, S. Kumar and V. Kumar (Mumbai, India) 240

Contents (continued)

Classification of differentiating oocytes during ovarian cycle in the giant freshwater prawn, *Macrobrachium rosenbergii* de man
P. Meeratana (Chonburi, Thailand) and P. Sobhon (Bangkok, Thailand) 249
Ovarian fluid pH enhances motility parameters of rainbow trout (*Oncorhynchus mykiss*) spermatozoa
M. Wojtczak, G.J. Dietrich, M. Słowińska (Olsztyn, Poland), S. Dobosz, H. Kuźmiński (Żukowo, Poland) and A. Ciereszko (Olsztyn, Poland) 259
Oogenesis and relevant changes in egg quality of abalone *Haliotis discus hannai* during a single spawning season
H. Fukazawa, T. Kawamura (Tokyo, Japan), H. Takami (Miyagi, Japan) and Y. Watanabe (Tokyo, Japan). . . 265
Hemocyte characteristics in families of oysters, *Crassostrea gigas*, selected for differential survival during summer and reared in three sites
C. Lambert, P. Soudant (Plouzané, France), L. Dégremont (La Tremblade, France), M. Delaporte, J. Moal (Plouzané, France), P. Boudry (La Tremblade, France), F. Jean, A. Huvet and J.-F. Samain (Plouzané, France) 276
Biochemical characterization and physiological role of cortical rods in black tiger shrimp, *Penaeus monodon*
H. Kruevaisayawan (Bangkok, Phitsanulok, Thailand), R. Vanichviriyakit, W. Weerachatyanukul, S. Magerd, B. Withyachumnarnkul and P. Sobhon (Bangkok, Thailand) 289
Energetic physiology of the Caribbean scallops *Argopecten nucleus* and *Nodipecten nodosus* fed with different microalgal diets
L.A. Velasco (Santa Marta, Colombia) 299
Effect of tremata closures on the oxygen consumption rhythm of ezo abalone *Haliotis discus hannai*
J.A. Lee, J.W. Kim and W.S. Kim (Seoul, South Korea) 312
Swimming stimulates oocyte development in European eel
A. Palstra, D. Curiel, M. Fekkes, M. de Bakker (RA Leiden, The Netherlands), C. Székely (Hungária Krt., Hungary), V. van Ginneken and G. van den Thillart (RA Leiden, The Netherlands). 321
Dopamine modulates the physiological response of the tiger shrimp *Penaeus monodon*
C.-C. Chang, Z.-R. Wu (Pingtung, Taiwan, ROC), C.-S. Chen (Tainan, Taiwan, ROC), C.-M. Kuo (Ilan, Taiwan, ROC) and W. Cheng (Pingtung, Taiwan, ROC) 333
Cloning and expression of hyperglycemic (CHH) and molt-inhibiting (MIH) hormones mRNAs from the eyestalk of shrimps of *Litopenaeus vannamei* grown in different temperature and salinity conditions
A. Lago-Lestón, E. Ponce (Ensenada, Mexico) and Ma.E. Muñoz (Tijuana, Mexico) 343
Metabolic scope, swimming performance and the effects of hypoxia in the mulloway, *Argyrosomus japonicus* (Pisces: Sciaenidae)
Q.P. Fitzgibbon (Adelaide, Henley Beach, South Australia, Australia), A. Strawbridge (Henley Beach, South Australia, Australia) and R.S. Seymour (Adelaide, Henley Beach, South Australia, Australia). 358
Ontogeny of pepsinogen and gastric proton pump expression in red porgy (*Pagrus pagrus*): Determination of stomach functionality
M.J. Darias (Puerto Real, Spain), H.M. Murray, J.W. Gallant, S.E. Douglas (Halifax, Nova Scotia, Canada), M. Yúfera and G. Martínez-Rodríguez (Puerto Real, Spain) 369
Inhibition of sexual maturation in tank reared haddock (*Melanogrammus aeglefinus*) through the use of constant light photoperiods
A. Davie (Stirling, UK), C. Mazorra de Quero (Pesués, Spain; Argyll, UK), N. Bromage (Stirling, UK), J. Treasurer (Argyll, UK) and H. Migaud (Stirling, UK) 379
The effect of spectral composition and light intensity on melatonin, stress and retinal damage in post-smolt Atlantic salmon, *Salmo salar*
H. Migaud, M. Cowan, J. Taylor and H.W. Ferguson (Stirling, Scotland, UK) 390
Effects of dietary estradiol-17β in juvenile shortnose sturgeon, *Acipenser brevirostrum*, Lesueur
S.R. Flynn and T.J. Benfey (Fredericton, New Brunswick, Canada) 405
In vitro modulation of reactive oxygen and nitrogen intermediate (ROI/RNI) production in *Crassostrea gigas* hemocytes
C. Lambert, P. Soudant, M. Jegaden, M. Delaporte, Y. Labreuche, J. Moal and J.-F. Samain (Plouzané, France) 413
A new and practical application of JH antagonist KK-42 to promoting growth of shrimp *Penaeus schmitti*
Q.-J. Ning, S.-G. Fu, X.-J. Xu and J.-T. He (Henan, China). 422
Transgenic Nile tilapia (*Oreochromis niloticus*) over-expressing growth hormone show reduced ammonia excretion
S.-i. Kobayashi, Alimuddin, T. Morita, M. Miwa, J. Lu, M. Endo, T. Takeuchi and G. Yoshizaki (Tokyo, Japan) 427
Sperm maturation and capacitation in the open thelycum shrimp *Litopenaeus* (Crustacea: Decapoda: Penaeoidea)
J. Alfaro, K. Ulate (Puntarenas, Costa Rica) and M. Vargas (San José, Costa Rica). 436

Contents (continued)

Characterization of Ca^{2+}-ATPase activity in gill microsomes of freshwater mussel, *Lamellidens marginalis* (Lamarck) and heavy metal modulations
S. Pattnaik, G.B.N. Chainy and J.K. Jena (Bhubaneswar, India) 443
Effect of increasing salinity on physiological response in juvenile scallops *Argopecten purpuratus* at two rearing temperatures
G. Soria, G. Merino and E. von Brand (Coquimbo, Chile) 451
Physioecology of the mussel *Perna perna* (Mytilidae) in Southern Brazil
C. Resgalla Jr., E.S. Brasil, K.S. Laitano and R.W.R. Filho (SC, Brazil) 464
Furunculosis in Atlantic salmon (*Salmo salar* L.) is not readily controllable by bacteriophage therapy
D.W. Verner–Jeffreys, M. Algoet, M.J. Pond, H.K. Virdee, N.J. Bagwell and E.G. Roberts (Dorset, UK) . . . 475
Identification of progesterone and 17α-hydroxyprogesterone in polychaetes (*Perinereis* sp.) and the effects of hormone extracts on penaeid oocyte development in vitro
O. Meunpol (Pathumthani, Bangkok, Thailand), S. Iam-Pai, W. Suthikrai and S. Piyatiratitivorakul (Bangkok, Thailand) 485
Isolation and characterization of a regulator of G protein signaling (RGS16) gene homologue in yellow grouper *Epinephelus awoara*
L. Wang and X. Wu (Hangzhou, China) 493
Development of thyroid gland and changes in thyroid hormone levels in Leptocephali of Japanese Eel (*Anguilla japonica*)
K. Yamano, K. Nomura and H. Tanaka (Mie, Japan) 499
Melanocyte-stimulating hormone facilitates hypermelanosis on the non-eyed side of the barfin flounder, a pleuronectiform fish
T. Yamanome, H. Chiba and A. Takahashi (Iwate, Japan) 505
Interleukin-10 expression by real-time PCR and homology modelling analysis in the European sea bass (*Dicentrarchus Labrax* L.)
F. Buonocore (Viterbo, Italy), E. Randelli, S. Bird, C.J. Secombes (Aberdeen, UK), A. Facchiano, S. Costantini (Avellino, Italy) and G. Scapigliati (Viterbo, Italy) 512

Short Communications

The impact of repeat spawning of males on effective number of breeders in hatchery operations
C. Busack (Olympia, WA, USA) 523
Hemagglutinating activity and electrophoretic pattern of hemolymph serum proteins of *Penaeus monodon* and *Macrobrachium rosenbergii* to white spot syndrome virus injections
R. Pais, M. Shekar, I. Karunasagar and I. Karunasagar (Mangalore, India) 529
Effects of temperature and lipid droplet adherence on mortality of hatchery-reared southern hake *Merluccius australis* larvae
C.A. Bustos (Puerto Montt, Concepción, Chile), M.F. Landaeta (Puerto Montt, Chile), E. Bay-Schmith, R. Lewis and X. Moraga (Chile) 535
Production of a high percentage of male offspring in growth-enhanced transgenic tilapia using *Oreochromis aureus* ZZ selected pseudofemales
Z. Abad, R. González, I. Mendoza, A. Oliva, E. Pimentel, R. Pimentel (Camagüey, Cuba), R. Martínez, M.P. Estrada (Havana, Cuba), Y. Ramirez and A. Arenal (Camagüey, Cuba) 541
Occurrence of two forms of Y chromosome in rainbow trout (*Oncorhynchus mykiss*) males from Rutki strain
K. Ocalewicz (Olsztyn, Poland), I. Babiak (Olsztyn, Poland; Bodø, Norway), B. Kasprzycka (Olsztyn, Poland), S. Dobosz, H. Kuzminski (Zukowo, Poland) and K. Goryczko (Olsztyn, Zukowo, Poland) 546
Trace elemental characterization of some food crustacean tissue samples by EDXRF technique
A. Mohapatra (Orissa, India), T.R. Rautray, V. Vijayan, R.K. Mohanty (Bhubaneswar, India) and S.K. Dey (Orissa, India) 552
Purification and partial characterization of Cu, Zn superoxide dismutase from haemolymph of Oriental river prawn *Macrobrachium nipponense*
C.-L. Yao (Xiamen, China), A.-L. Wang (Guangzhou, China), Z.-Y. Wang (Xiamen, China), W.-N. Wang and R.-Y. Sun (Guangzhou, China) 559
Self-feeding activity of a pleuronectiform fish, the barfin flounder
T. Sunuma, M. Amano, T. Yamanome (Iwate, Japan), K. Furukawa (Tokyo, Japan) and K. Yamamori (Iwate, Japan) 566
Prey extracts evoke swimming behavior in juvenile Atlantic halibut (*Hippoglossus hippoglossus*)
S.Y. Yacoob and H.I. Browman (Storebø, Norway) 570
Ploidy polymorphism and morphological variation among reciprocal hybrids by *Megalobrama amblycephala* × *Tinca tinca*
S. Zou, S. Li, W. Cai, H. Yang and X. Jiang (Shanghai, China) 574

Contents (continued)

Erratum to "Three species of parasites emerging on the gills of mulloway, *Argyrosomus japonicus* (Temminck and Schlegel, 1843), cultured in Australia" [Aquaculture 265 (2007) 27-40]
C.J. Hayward (Launceston, TAS, Australia), N.J. Bott (Adelaide, SA, Australia), N. Itoh (Miyagi, Japan), M. Iwashita (Tokyo, Japan), M. Okihiro (Oceanside, CA, USA) and B.F. Nowak (Launceston, TAS, Australia) 580